

# GOING CARBON NEUTRAL

## A Guide for Publishers

(US Edition)

by Guy Dauncey  
[www.earthfuture.com](http://www.earthfuture.com)

*“If it were only a few degrees, that would be serious, but we could adapt to it. But the danger is the warming process might be unstable and run away. We could end up like Venus, covered in clouds and with the surface temperature of 400 degrees. It could be too late if we wait until the bad effects of warming become obvious. We need action now to reduce emission of carbon dioxide.”*

- Professor Stephen Hawking, Lucasian Professor of Mathematics, Cambridge University, on Larry King Live, Dec 25, 1999

### Introduction

One of the many things that an individual or business can do to help address the enormous challenge of global climate change, as well as reducing your emissions, is to become carbon neutral.

Whenever we use fossil fuels, whether by driving, flying, using trucks and couriers, heating our buildings with oil or gas, or using electricity which has been generated with coal or gas, we cause the release of carbon, which forms carbon dioxide, the Number 1 greenhouse gas.

Whenever we use paper that is not recycled, we contribute to the loss of forests and forest soils, which store immense quantities of carbon, reducing the ability of our planet’s ecosystems to store the carbon we are so busy releasing.

Whenever we send material as garbage to the landfill, we cause the release of methane, the Number 2 greenhouse gas.

What can we do? We can reduce our emissions, and we can render our existing emissions “carbon neutral” by investing in initiatives which will prevent the release of a similar amount of emissions elsewhere, or which support long-term carbon-storing initiatives.

The most common method used by businesses and individuals to become carbon neutral involves investing annually in a tree-planting initiative that will absorb (sequester) a similar quantity of emissions. This is fine, unless the trees burn down in a forest fire, or are eaten by bugs, which is becoming increasingly common as the temperatures rise.

The second method involves investing in an initiative which will prevent the release of a similar amount of emissions, such as paying to retrofit low income households with efficient lightbulbs, or supporting the use of wind energy by a low income community. The key to genuine carbon neutrality is that the organization receiving your support *would not have made the same investment on its own behalf*. Every one of us has to face up to our planetary responsibility, and become carbon neutral, but it is much harder for some than others. The current market cost to offset a tonne of CO<sub>2</sub> is \$10 US, and a typical household

Going Carbon Neutral : A Guide for Publishers (US Edition) Page 1 of 11

of 4 people produces 20 tons or more of CO<sub>2</sub> a year. The cost to offset this would be \$200 US, which is difficult for most low income families; hence the validity of using your investment to support them.

This Publishers Template has been created in order to assist any publishers who might want to become carbon neutral.

## Groundrules

When dealing with the greenhouse gas emissions associated with a product which passes through many hands (eg a book), it is important to establish some groundrules. The rules that have been adopted for this template are as follows:

- All of the emissions produced along the book publication chain belong to the publisher. The logic here is that if you had not dreamed up a particular title, the emissions along the chain, from the forest to the warehouse, would not have happened.
- “If you pay for it, the emissions are your responsibility”. Thus if a reader orders a book off your website, the carbon emissions associated with shipping the book belong to the reader, not to you. Likewise when a bookshop orders a supply of your books. This principle could be extended to say that the paper company should cover the emissions from paper production, and the trucking companies and couriers should cover the emissions from shipping, but this feels like evasive carbon accounting, so it probably is. In a perfect carbon-neutral world, a carbon tax would be charged on all fossil fuel use, and the proceeds would be invested in initiatives to reduce global climate change. Until that happens, or until other companies in the production chain step up to the plate and take responsibility for their emissions, it seems right that the main producer should assume the responsibility.

## Greenhouse Gas Emissions from Publishing

- |                    |                |                          |
|--------------------|----------------|--------------------------|
| 1. Paper for books | 5. Couriers    | 9. Oil used for heating  |
| 2. Office paper    | 6. Flights     | 10. Gas used for heating |
| 3. Catalogue paper | 7. Vehicles    | 11. Waste landfilled     |
| 4. Shipping        | 8. Electricity |                          |

For each category, some relatively simple calculations are needed. The letters (A), (B), (C) are used to define steps in a multi-stage calculation.

### 1. THE PAPER YOU USED TO PRINT YOUR BOOKS

The production of paper produces CO<sub>2</sub> from a variety of factors (forest soil loss, trucking, pulping, paper manufacturing, shipping). The trees themselves are considered carbon neutral, since they have already absorbed the CO<sub>2</sub> that will be released as their fibres, or the paper made from them, break down and release their stored CO<sub>2</sub> back into the atmosphere.

The loss of topsoil causes the release of stored carbon that would not otherwise have been released. This is worst with clearcut logging, and least to non-existent with FSC certified forestry. The use of recycled paper releases less CO<sub>2</sub>, since there is no loss of forest soil, and less fuel is used in logging and trucking.

The CO<sub>2</sub> factors used have been taken from an extensive analysis done by Environmental Defence. [www.environmentaldefense.org/article.cfm?contentid=1689](http://www.environmentaldefense.org/article.cfm?contentid=1689)

**Step One:** Determine the total number of books (not titles) that you published during 20\_\_\_\_.  
Number of books published: \_\_\_\_\_ (A)

**Step Two:** Determine the average weight of a book. This is your average weight factor.  
Average weight per book = \_\_\_\_\_ lbs (B)

Total weight of books published in 20\_\_\_\_ (A x B) = \_\_\_\_\_ lbs (C)

**Step Three:** Determine what the CO2 Paper Factor is for the type of paper you used to print your books. If you used several kinds of paper for different titles, perform a separate calculation for each paper-type, and create a paper-use average as your overall CO2 Paper Factor.

1 lb virgin paper produces 7.14 lbs of CO2

1 lb of EcoBook 100 (100% post-consumer waste) produces 3.9 lbs of CO2

Type of paper	CO2 per lb
Virgin paper 0% post-consumer recycled	7.14
33% post-consumer recycled	6.06
50% post-consumer recycled	5.50
66% post-consumer recycled	5.2
100% post-consumer recycled	3.9

(Data for Virgin and 100% from EcoPaper. Data for 33%, 50%, and 66% extrapolated)

Your CO2 (Books) Paper Factor: \_\_\_\_\_ lbs of CO2 per lb (D)

**Step Four:** Determine your total CO2 produced by multiplying (C) by (D)

(C) \_\_\_\_\_ x (D) \_\_\_\_\_ = \_\_\_\_\_ (E)

**Result 1 = \_\_\_\_\_ lbs of CO2 from your use of paper for printing books**

## 2. OFFICE PAPER

The same principle applies here: recycled paper produces less CO2 than non-recycled paper.

**Step One:** Determine the total volume of office paper used from your purchasing manager. (Probably in boxes of 5,000 sheets). Total office paper used: \_\_\_\_\_ sheets (A).

**Step Two:** Divide by 500 to give you the number of reams. Total reams used: \_\_\_\_\_ (B)

**Step Three:** Weigh 1 ream (pack of 500 sheets). Weight of one ream: \_\_\_\_\_ (C)

**Step Four:** Calculate the total weight of office paper used (B x C): \_\_\_\_\_ (D)

**Step Five:** Determine your CO2 (Office) Paper Factor, using the chart above: \_\_\_\_\_ lb of CO2 per lb (E)

**Step Six:** Multiply (D) by (E) to determine the total CO2 released (F).

(D) \_\_\_\_\_ x (E) \_\_\_\_\_ = \_\_\_\_\_ lbs (F)

**Result: 2 = \_\_\_\_\_ lb of CO2 from your use of office paper**

## 3. CATALOGUE PAPER

Apply the same process to the paper you used to print your catalogue:

**Step One:** Determine your CO2 (Catalogue) Paper Factor: \_\_\_\_\_ lbs of CO2 per lb (A)

**Step Two:** Determine the total volume of Catalogue Paper used from your purchasing manager. Total catalogue paper used: \_\_\_\_\_ sheets (B)

**Step Three:** Multiply (A) by (B) to determine the total CO2 released (C).

(A) \_\_\_\_\_ x (B) \_\_\_\_\_ = \_\_\_\_\_ lb (C)

**Result: 3 = \_\_\_\_\_ lbs of CO2 from your use of catalogue paper**

#### 4. SHIPPING

Shipping uses diesel fuel, which releases 22.38 lbs of CO2 for every gallon of diesel burnt.

**Step One:** List the main Trips involved in shipping books from your various printers to your distribution centres, and find out the distance of each trip.

Trip 1: \_\_\_\_\_ to \_\_\_\_\_. Distance = \_\_\_\_\_ miles (A1)  
Trip 2: \_\_\_\_\_ to \_\_\_\_\_. Distance = \_\_\_\_\_ miles (A2)  
Trip 3: \_\_\_\_\_ to \_\_\_\_\_. Distance = \_\_\_\_\_ miles (A3)  
Trip 4: \_\_\_\_\_ to \_\_\_\_\_. Distance = \_\_\_\_\_ miles (A4)  
Trip 5: \_\_\_\_\_ to \_\_\_\_\_. Distance = \_\_\_\_\_ miles (A5)  
Trip 6: \_\_\_\_\_ to \_\_\_\_\_. Distance = \_\_\_\_\_ miles (A6)

**Step Two:** Find out how many books were shipped on each trip.

Convert that into total weight, using your Average Weight Factor as determined in (1) Step 2 (B) above, to give you the total weight of books shipped per trip.

Trip 1: \_\_\_\_\_ books x \_\_\_\_\_ lb per book = \_\_\_\_\_ lbs of books shipped (B1)  
Trip 2: \_\_\_\_\_ books x \_\_\_\_\_ lb per book = \_\_\_\_\_ lbs of books shipped (B2)  
Trip 3: \_\_\_\_\_ books x \_\_\_\_\_ lb per book = \_\_\_\_\_ lbs of books shipped (B3)  
Trip 4: \_\_\_\_\_ books x \_\_\_\_\_ lb per book = \_\_\_\_\_ lbs of books shipped (B4)  
Trip 5: \_\_\_\_\_ books x \_\_\_\_\_ lb per book = \_\_\_\_\_ lbs of books shipped (B5)  
Trip 6: \_\_\_\_\_ books x \_\_\_\_\_ lb per book = \_\_\_\_\_ lbs of books shipped (B6)

**Step Three:** A typical pallet carries 1,543 lbs of books. For each trip, divide the weight of books shipped by 700 to determine how many pallets were used.

Trip 1: \_\_\_\_\_ lbs (B1) divided by 1,543 lbs = \_\_\_\_\_ pallets (C1)  
Trip 2: \_\_\_\_\_ lbs (B2) divided by 1,543 lbs = \_\_\_\_\_ pallets (C2)  
Trip 3: \_\_\_\_\_ lbs (B3) divided by 1,543 lbs = \_\_\_\_\_ pallets (C3)  
Trip 4: \_\_\_\_\_ lbs (B4) divided by 1,543 lbs = \_\_\_\_\_ pallets (C4)  
Trip 5: \_\_\_\_\_ lbs (B5) divided by 1,543 lbs = \_\_\_\_\_ pallets (C5)  
Trip 6: \_\_\_\_\_ lbs (B6) divided by 1,543 lbs = \_\_\_\_\_ pallets (C6)

**Step Four:** On average, a 54 foot trailer carries 24 pallets. For each trip, divide the number of pallets (eg C1) by 24 to determine the number of truckloads needed to ship your books.

Trip 1: \_\_\_\_\_ pallets (C1) divided by 24 = \_\_\_\_\_ truckloads (D1)  
Trip 2: \_\_\_\_\_ pallets (C2) divided by 24 = \_\_\_\_\_ truckloads (D2)  
Trip 3: \_\_\_\_\_ pallets (C3) divided by 24 = \_\_\_\_\_ truckloads (D3)  
Trip 4: \_\_\_\_\_ pallets (C4) divided by 24 = \_\_\_\_\_ truckloads (D4)  
Trip 5: \_\_\_\_\_ pallets (C5) divided by 24 = \_\_\_\_\_ truckloads (D5)  
Trip 6: \_\_\_\_\_ pallets (C6) divided by 24 = \_\_\_\_\_ truckloads (D6)

**Step Five:** Multiply the total truckloads (eg D1) by the distance travelled for that Trip:

Trip 1: \_\_\_\_\_ truckloads (D1) x \_\_\_\_\_ miles (A1) = \_\_\_\_\_ total miles (E1)  
Trip 2: \_\_\_\_\_ truckloads (D2) x \_\_\_\_\_ miles (A2) = \_\_\_\_\_ total miles (E2)  
Trip 3: \_\_\_\_\_ truckloads (D3) x \_\_\_\_\_ miles (A3) = \_\_\_\_\_ total miles (E3)  
Trip 4: \_\_\_\_\_ truckloads (D4) x \_\_\_\_\_ miles (A4) = \_\_\_\_\_ total miles (E4)  
Trip 5: \_\_\_\_\_ truckloads (D5) x \_\_\_\_\_ miles (A5) = \_\_\_\_\_ total miles (E5)  
Trip 6: \_\_\_\_\_ truckloads (D6) x \_\_\_\_\_ miles (A6) = \_\_\_\_\_ total miles (E6)

**Step Six:** The average truck does 8 miles per gallon. Calculate the gallons of fuel burnt by dividing the total miles for each trip (eg E1) by 8:

- Trip 1: \_\_\_\_\_ total miles (E1) divided by 8 = \_\_\_\_\_ gallons of diesel burnt (F1)
- Trip 2: \_\_\_\_\_ total miles (E2) divided by 8 = \_\_\_\_\_ gallons of diesel burnt (F2)
- Trip 3: \_\_\_\_\_ total miles (E3) divided by 8 = \_\_\_\_\_ gallons of diesel burnt (F3)
- Trip 4: \_\_\_\_\_ total miles (E4) divided by 8 = \_\_\_\_\_ gallons of diesel burnt (F4)
- Trip 5: \_\_\_\_\_ total miles (E5) divided by 8 = \_\_\_\_\_ gallons of diesel burnt (F5)
- Trip 6: \_\_\_\_\_ total miles (E6) divided by 8 = \_\_\_\_\_ gallons of diesel burnt (F6)

**Step Seven:** Diesel fuel produces 22.38 lbs of CO<sub>2</sub> per gallon. Determine the CO<sub>2</sub> released for each Trip by multiplying the gallons burnt (eg F1) by 22.38

- Trip 1: \_\_\_\_\_ gallons of diesel burnt (F1) x 22.38 = \_\_\_\_\_ lbs of CO<sub>2</sub> (G1)
- Trip 2: \_\_\_\_\_ gallons of diesel burnt (F2) x 22.38 = \_\_\_\_\_ lbs of CO<sub>2</sub> (G2)
- Trip 3: \_\_\_\_\_ gallons of diesel burnt (F3) x 22.38 = \_\_\_\_\_ lbs of CO<sub>2</sub> (G3)
- Trip 4: \_\_\_\_\_ gallons of diesel burnt (F4) x 22.38 = \_\_\_\_\_ lbs of CO<sub>2</sub> (G4)
- Trip 5: \_\_\_\_\_ gallons of diesel burnt (F5) x 22.38 = \_\_\_\_\_ lbs of CO<sub>2</sub> (G5)
- Trip 6: \_\_\_\_\_ gallons of diesel burnt (F6) x 22.38 = \_\_\_\_\_ lbs of CO<sub>2</sub> (G6)

**Step Eight:** Add all the totals G1 to G6.

**Result: 4 = \_\_\_\_\_ lbs of CO<sub>2</sub> from trucking your books**

## 5. COURIERS

The assumption is that almost all courier trips that a publisher requires are by air, which involves the use of kerosene, a fossil fuel. Local short-trip courier trips are ignored as being too minor and too complex to calculate.

The methodology used is to calculate the total weight of items couriered, and divide by 150 lbs (the average human weight) to convert the items couriered into “human-equivalents”. From there, we can base the calculation on an average person-flight across North America, which releases 4400 lbs of CO<sub>2</sub>.

**Step 1:** Obtain data for the following:

- (A) \_\_\_\_\_ galleys couriered for \_\_\_\_\_ titles = \_\_\_\_\_ trips
- (B) \_\_\_\_\_ page spreads couriered for \_\_\_\_\_ titles = \_\_\_\_\_ trips
- (C) \_\_\_\_\_ review copies couriered for \_\_\_\_\_ titles = \_\_\_\_\_ trips
- (D) \_\_\_\_\_ other items couriered = \_\_\_\_\_ trips

**Step 2:** Calculate the total number of courier trips (A + B + C +D) = \_\_\_\_\_ (E)

Average weight factor of a galley/page-spread/book = \_\_\_\_\_ lbs (F) (See 1, Step 2 (B) above)

Total weight of items couriered (E x F) = \_\_\_\_\_ lbs (G)

**Step 3:** Turn the couriered items into imaginary humans, at 150 lbs per human (G) divided by 150 = \_\_\_\_\_ “human-books” (H)

**Step 4:** The average human flight across North America releases 4400 lbs of CO<sub>2</sub>. (Calculated from [www.chooseclimate.org/flying](http://www.chooseclimate.org/flying))

\_\_\_\_\_ “human-books” (H) x 2000 = \_\_\_\_\_ lbs of CO<sub>2</sub>

**Result 5 = \_\_\_\_\_ lbs of CO2 from the use of couriers**

## 6. FLIGHTS

**Step 1:** Familiarize yourself with [www.chooseclimate.org/flying](http://www.chooseclimate.org/flying), which will calculate the CO2 emissions from any particular flight. You can also use [www.sasems.port.se](http://www.sasems.port.se). These are both metric systems, so the data will be in kilograms, or tonnes.

**Step 2:** List all flights taken on publishers' business during the year, and determine the CO2 emissions for each flight. A return flight should be entered twice.

Date	Single Flight	Distance	% full	CO2	# tickets	CO2 total
					<b>Total</b>	

**Step 3:** Convert the metric result in kilograms into pounds by multiplying by 2.2,

**Result 6 = \_\_\_\_\_ lbs of CO2 from flying**

## 7. VEHICLE TRAVEL

Cars and trucks burn fuel. Every gallon of gasoline burnt releases 20 lbs of CO2. Every gallon of diesel releases 22.38 lbs of CO2.

If you use an electric car, you will need to do your own calculations based on the fuel mix used by your local electricity generating station. On average, 1 mile of EV travel draws 115 watts of power.

If you use a biodiesel car, you do not need to count the CO2 emitted since it is “current cycle” CO2 - the biodiesel fuel source has already absorbed CO2 from the atmosphere before it is released during combustion.

**Step 1:** Determine the mileage used for each vehicle during the year on publishers' business. Personal trips to and from work are not included, as they are the responsibility of the driver, not the publisher..

Vehicle 1 = \_\_\_\_\_ miles, at \_\_\_\_\_ miles per gallon fuel efficiency = \_\_\_\_\_ gallons

Vehicle 2 = \_\_\_\_\_ miles, at \_\_\_\_\_ miles per gallon fuel efficiency = \_\_\_\_\_ gallons

Vehicle 3 = \_\_\_\_\_ miles, at \_\_\_\_\_ miles per gallon fuel efficiency = \_\_\_\_\_ gallons

Vehicle 4 = \_\_\_\_\_ miles, at \_\_\_\_\_ miles per gallon fuel efficiency = \_\_\_\_\_ gallons

Vehicle 5 = \_\_\_\_\_ miles, at \_\_\_\_\_ miles per gallon fuel efficiency = \_\_\_\_\_ gallons

Vehicle 6 = \_\_\_\_\_ miles, at \_\_\_\_\_ miles per gallon fuel efficiency = \_\_\_\_\_ gallons

**Step 2:** Separate out the gasoline and diesel vehicles by deleting the relevant text below. Then multiply the total litres burnt by 20 lbs or 22.38 lbs of CO2 respectively to obtain the total CO2.

Vehicle 1 (gasoline or diesel) \_\_\_\_\_ C1 x 20 or 22.38 = \_\_\_\_\_ lbs of CO2

Vehicle 2 (gasoline or diesel) \_\_\_\_\_ C2 x 20 or 22.38 = \_\_\_\_\_ lbs of CO2

Vehicle 3 (gasoline or diesel) \_\_\_\_\_ C3 x 20 or 22.38 = \_\_\_\_\_ lbs of CO2

Vehicle 4 (gasoline or diesel) \_\_\_\_\_ C4 x 20 or 22.38 = \_\_\_\_\_ lbs of CO2

Vehicle 5 (gasoline or diesel) \_\_\_\_\_ C5 x 20 or 22.38 = \_\_\_\_\_ lbs of CO2

Vehicle 6 (gasoline or diesel) \_\_\_\_\_ C6 x 20 or 22.38 = \_\_\_\_\_ lbs of CO2

**Step 3:** Add the totals, for the result.

**Result 7 = \_\_\_\_\_ lbs of CO2 from car-travel**

## 8. ELECTRICITY

The production of most electricity involves the release of CO2. The amount of CO2 released per kilowatt hour (kWh) depends on the source of your electricity: coal, gas, oil, solar, wind, hydro, etc.

**Step 1:** Collect all your electricity bills for the year, and tally up the kWh used for each month. If your bills come bi-monthly, list them 1 to 6, below. If you have more than four buildings, add extra columns.

kWh per Building				
Month	Building A	Building B	Building C	Building D
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
Total				

**Step 2:** Add your totals together = \_\_\_\_\_ kWh. (A)

**Step 3:** Convert your kWh into CO2, using the conversion factors listed below.

### Conversion factors:

If your electricity is all green, sustainably sourced:	1000 kWh = 0 lbs CO2
If your electricity is half green, half gas-fired:	1000 kWh = 209 lbs CO2
If your electricity is all gas-fired:	1000 kWh = 419 lbs CO2
If your electricity is half gas, half coal-fired	1000 kWh = 540 lbs CO2
If your electricity is all coal-fired:	1000 kWh = 661 lbs CO2
If your electricity is nuclear:	1000 kWh = 100 lbs CO2

### Notes:

- (a) Green electricity is solar, wind, hydro, geothermal, etc.
- (b) Some large-scale hydro may produce large amounts of methane, but the results differ for every dam, and no data has ever been collected on a dam by dam basis
- (c) The full nuclear fuel cycle produces about 15% the emissions of a coal-fired power plant

**Step 4:** Our electricity produces \_\_\_\_\_ lbs of CO2 per 1000 kWh (B).

**Result 8 (A x B) = \_\_\_\_\_ lbs of CO2 from your use of electricity**

## 9. OIL USED FOR HEATING

**Step 1:** Collect all your oil bills for the year, and tally up the gallons used for each month. If your bills come bi-monthly, list them 1 to 6, below. If you have more than four buildings, add extra columns.

Gallons of Heating Oil used per Building				
Month	Building A	Building B	Building C	Building D
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
Total				

**Step 2:** Add your totals together = \_\_\_\_\_ gallons. (A)

**Conversion factor:** 1 gallon of heating oil produces 21.5 lbs of CO2 (B)

**Result 9 (A x B) = \_\_\_\_\_ lbs of CO2 from heating oil**

## 10. GAS USED FOR HEATING

**Step 1:** Collect all your gas bills for the year, and tally up the Therms used for each month. If your bills come bi-monthly, list them 1 to 6, below. If you have more than four buildings, add extra columns.

Therms of gas used for heating				
Month	Building A	Building B	Building C	Building D
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
Total				

**Step 2:** Add your totals together = \_\_\_\_\_ Therms. (A)

**Conversion factor:** 1 Therm of natural gas produces 11.64 lbs of CO2 (B)

**Result 10 (A x B) = \_\_\_\_\_ lbs of CO2 from gas used for heating**

## 11: WASTE LANDFILLED

Waste that is sent to the landfill produces methane emissions; methane is 23 times more powerful a greenhouse gas than CO<sub>2</sub> over 100 years. Methane emissions are normally expressed as “CO<sub>2</sub> equivalent” (CO<sub>2</sub>e), to make the overall calculations of emissions easy.

The EPA's calculator calculates CO<sub>2</sub>e emissions from waste by material and method of disposal:  
<http://yosemite.epa.gov/oar/globalwarming.nsf/WARM?openform>

Typically, one pound of garbage releases one pound of CO<sub>2</sub> equivalent.

*Step 1:* Weigh several typical bags of your garbage, to obtain an average weight.

One bag of garbage weighs \_\_\_\_\_ lbs (A)

*Step 2:* How many bags of garbage do you produce per year? \_\_\_\_\_ bags. (B)

*Step 3:* Multiply A by B = \_\_\_\_\_. Multiply by 1 for 1 lb of CO<sub>2</sub>e

**Result 11 = \_\_\_\_\_ lbs of CO<sub>2</sub>e from your disposal of garbage.**

## 12: ADD IT ALL UP

CO <sub>2</sub> Emissions for 20__ (Year)		Lbs
1	Paper	
2	Office paper	
3	Catalogue paper	
4	Shipping	
5	Couriers	
6	Flights	
7	Car Travel	
8	Electricity consumption	
9	Oil for heating	
10	Gas for heating	
11	Waste landfilled	
<b>12</b>	<b>Total</b>	

**Grand Total = \_\_\_\_\_ lbs of CO<sub>2</sub> divided by 2000 = \_\_\_\_\_ Tons**

## 13: PURCHASE YOUR CARBON OFFSETS

*Step One:* Consider which organization you want to use to neutralize your emissions. Here are some of the options:

Chicago Climate Exchange: [www.chicagoclimatex.com](http://www.chicagoclimatex.com)

Climate Trust: [www.carboncounter.org](http://www.carboncounter.org)

Solar Electric Light Fund: [www.self.org](http://www.self.org)

Terrapass: [www.terrapass.com](http://www.terrapass.com)

Trexler Climate and energy Services: [www.climateservices.com](http://www.climateservices.com)

*Step Two:* Contact an organization, and ask how much it would cost you to offset your emissions.

*Step Three:* Send them a cheque for the amount.

*Step Four:* Tell all your staff, partners, clients and customers, and encourage them to do the same.

*Step Five:* Repeat in all future years, until the challenge of global climate change has been overcome.

## 14: REDUCE YOUR EMISSIONS FOR FUTURE YEARS

This is a more detailed task than we can go into here, but the information above can serve as a guide. There are three components to a carbon reduction strategy:

**I. The choice to make the effort**, as part of the worldwide global effort to reduce our greenhouse gas emissions.

**II. The choice to operationalise your decision**: this means putting someone in charge, and tasking him or her to make it happen. The wider the staff involvement, the easier it will be, and the greater the satisfaction they will experience.

**III. The details of the changes** that will reduce your emissions. Here are some pointers:

### 1, 2 & 3. Paper

- Can you use more post-consumer recycled paper to print your books, catalogue, and advertising materials?
- Can you set a general habit that calls for office paper to be used on both sides?
- Can you change your staff computer settings to use more of each sheet? (See [www.rfu.org](http://www.rfu.org))

### 4. Shipping

- Is there any wastage in the routes that your materials are taking during shipping?

### 5. Couriers

- Could you switch to a green courier company that uses more sustainable vehicles?
- Could you send any galleys or page spreads electronically, as a PDF?

### 6. Flights

- Are you sending staff on any unnecessary flights, where teleconferencing might do?

### 7. Car Travel

- Could you switch to more fuel-efficient vehicles, or to biodiesel, or electric vehicles? Could you join a car-share coop, or use bicycles around town?

### 8, 9 & 10. Electricity, Oil, and Gas

- Could you hire someone to undertake an energy efficiency survey, to see where you could save energy and money by better insulation, and switching to more efficient lighting and appliances?

### 11. Waste

- Could you increase your recycling, by making it easier for staff to recycle, to minimize waste going to the landfill?

*"To me the question of the environment is more ominous than that of peace and war...I'm more worried about global warming than I am of any major military conflict."*

U.N. Weapons Inspector Hans Blix, March 14, 2003

*"Our house is burning down and we're blind to it...The earth and humankind are in danger and we are all responsible. It is time to open our eyes. Alarms are sounding across all the continents . . . We cannot say that we did not know! Climate warming is still reversible.*

*Heavy would be the responsibility of those who refused to fight it."*

French President Jacques Chirac, Earth Summit, Johannesburg, August, 2002

*"The future belongs to those who understand that doing more with less is compassionate prosperous, and enduring, and thus more intelligent, even competitive."*

Paul Hawken

***About the author:***

Guy Dauncey is an author, speaker, and organizer who works to develop a positive vision of a sustainable future, and to translate that vision into action. He is President of the BC Sustainable Energy Association ([www.bcsea.org](http://www.bcsea.org)), and Editor of *EcoNews*, a monthly newsletter that promotes the vision of a sustainable Vancouver Island. He is the author of five books, including *Stormy Weather: 101 Solutions to Global Climate Change* (New Society Publishers, 2001) which won a Nautilus Award at the New York Book Expo in May 2002, and *Cancer: 101 Solutions to a Preventable Epidemic* (New Society Publishers, June 2007). He lives in Victoria, BC, Canada. His home page is [www.earthfuture.com](http://www.earthfuture.com).

April, 2005

**NOTE:** If you spot any errors in this Guide, do please send them to the author, so that we can make the necessary corrections. This is the first attempt at laying out this full set of calculations, and there are sure to be ways that it can be improved.

Guy Dauncey, Victoria, BC, Canada  
[guydauncey@earthfuture.com](mailto:guydauncey@earthfuture.com)